

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

X Wildlife habitat in western Oregon and Washington and northwestern California forests, chiefly for blacktail deer and Roosevelt elk, 1930 to date.

Selected references // compiled by Marie L. Gould

8 June 1965 //

GENERAL

Bailey, Vernon.

The mammals and life zones of Oregon. 1936. 416 p. U.S. Bur. Biol. Survey, No. Amer. fauna 55.
Black-tailed deer p.86-89; Roosevelt's elk p.81-83.

Carhart, Arthur H.

Fallacies in winter feeding of deer. No. Amer. Wildlife Conf., Trans. 8:333-337. 1943.
Stock food should be used only when no natural browse is above snow, or as a supplement to much natural browse.

Carhart, Arthur H.

What deer eat. By species, by season, by range and by preference. Amer. Forests 50(8):383-385. Aug. 1944.

Dalquest, Walter W.

Mammals of Washington. Lawrence, Univ. of Kansas, 1948. 444 p.
Black tailed deer p.399; Roosevelt elk p.394.

DeNio, R.M.

Elk and deer foods and feeding habits. No. Amer. Wildl. Conf., Trans. 3:421-427. 1938.
On winter ranges in 17 national forests in Montana and northern Idaho.

Hall, Wade.

Elk management on the Wallowa National Forest. Amer. Soc. Range Mgt., Pacific Northwest meetings, 1953. 3 p.

Hosley, N.W.

Some interrelations of wildlife management and forest management. J. Forestry 35(7):674-678. July 1937.
Considers there is no antagonism between the production of trees and of game.

Lauckhart, J.B.

Future management of big game. Amer. Soc. Range Mgt., Pacific Northwest Section, 1953. 4 p.

Longhurst, Wm. M., Leopold, A.S., and Dasmann, R.F.

A survey of California deer herds, their ranges and management problems. Calif. Dept. of Fish and Game, Game Bul. 6. 1952. 136 p.
"Literature cited":p.131-136.

McCain, Randal.

A method for measuring deer range use. No. Amer. Wildl. Conf., Trans. 13:431-440. 1948.

Pellet group count successfully used by Interstate Deer Herd Committee (California and Oregon).

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

DEC 16 1965

C & R-PREP.

Mace, Robert U.

Analysis of Oregon's big game study program. W. Assoc. State Game & Fish Comm., Proc. 36th Ann. Conf.: 183-187. 1956.

Mace, Robert U.

Big game management in Oregon. Amer. Soc. Range Mgt., Pacific Northwest meetings, 1953. 5 p.

Includes consideration of black-tailed deer and Roosevelt elk.

Mace, Robert U.

Oregon's big game resources. Portland, Oregon State Game Commission, 1956. 31 p.

Black-tailed deer p.2-4, 24; Roosevelt elk p.10-12, 27.

Mitchell, Glenn E.

The big-game resource. No. Amer. Wildlife Conf. 14, 1949:538-543.

Problems in wildlife conservation - includes deer and elk.

Mitchell, Glenn E.

Wildlife-forest relationships in the Pacific Northwest region. Journal of Forestry 48(1):26-30. Jan. 1950.

Roosevelt elk and blacktailed deer p.27.

Wildlife management and forest management not incompatible.

Ordway, Samuel H.

Do we want to save Olympic National Primeval Park? Animal Kingdom 51(1): 2-7. Jan.-Feb. 1948.

Cutting of timber would expose elk to more shooting.

Oregon. Legislative Interim Committee on Wildlife.

Report...1964. 59 p.

Deer management p.53.

Are big game animals jeopardizing reforestation. p.54.

Oregon State Game Commission.

Hunting in Oregon. Portland, Ore. 1953. 11 p.

Blacktailed deer p.3-4; Roosevelt elk p.4-5.

Sexton, V.L.

Oregon's wild life resource. Oregon State Planning Board, 1936. 126 p.

Roosevelt elk p.16; Blacktail deer p.18.

U.S. Forest Service. Region 1.

Wildlife management handbook for forest officers. 1957. 217 p.

Habitat protection and management p.3-92.

Elk p.127-134, 144-147.

U.S. Forest Service. Region 1.

Winter comes to the big game ranges. 1937. unpaged.

11. Jezuist 1900
1900-1901 1902 1903 1904
1905 1906 1907 1908 1909 1910 1911 1912 1913 1914
1915 1916 1917 1918 1919 1920 1921 1922 1923 1924
1925 1926 1927 1928 1929 1930 1931 1932 1933 1934
1935 1936 1937 1938 1939 1940 1941 1942 1943 1944
1945 1946 1947 1948 1949 1950 1951 1952 1953 1954
1955 1956 1957 1958 1959 1960 1961 1962 1963 1964
1965 1966 1967 1968 1969 1970 1971 1972 1973 1974
1975 1976 1977 1978 1979 1980 1981 1982 1983 1984
1985 1986 1987 1988 1989 1990 1991 1992 1993 1994
1995 1996 1997 1998 1999 2000 2001 2002 2003 2004
2005 2006 2007 2008 2009 2010 2011 2012 2013 2014
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024

Washington State Game Dept.

The progress and promise of modern game management. 1962. 29 p.

"blacktail deer...depend upon logging operations to open the forest canopy and allow grass and browse plants to grow". Roosevelt elk are considered.

BLACK-TAILED DEER

Brown, Ellsworth Reade.

The black-tailed deer of western Washington. Wash. Game Dept., Biol. Bul. 13. 1961. 124 p.

"Literature cited":120-124.

Browning, Bruce M., and Lauppe, Earl M.

A deer study in a redwood-Douglas fir forest type. Calif. Fish & Game 50 (3):132-145. July 1964.

A study made during 1959-63 of the relationship between black-tailed deer and the reproduction of the principal timber-producing trees in the coastal forests of California. Includes information on food habits, reproduction, age, condition, disease and parasites of the deer.

Chatelain, E.F.

Food preferences of the Columbian black-tailed deer, *Odocoileus hemionus columbianus* (Richardson), on the Tillamook Burn, Oregon. M.S. thesis, Oregon State College, 1947.

Cowan, I. McT.

The ecological relationships of the food of the Columbian black-tailed deer, *Odocoileus hemionus columbianus* (Richardson), in the coast forest region of southern Vancouver Island, British Columbia. Ecol. Monog. 15(2): 109-139. Apr. 1945.

Cowan, Ian M.

Distribution and variation in deer (genus *Odocoileus*) of the Pacific Coastal region of North America. Calif. Fish & Game 22(3):155-246. July 1936.

Columbian black-tailed deer p.215-224.

Dasmann, Raymond F., and Taber, Richard D.

Behavior of Columbian black-tailed deer with reference to population ecology. J. Mammalogy 37(2):143-164. May 1956.

"Literature cited":163-164.

Dealy, John Edward.

The influences of logging practices on Columbian black-tailed deer (*Odocoileus hemionus columbianus* Richardson) in the Blue River area of Oregon. M.S. thesis, Oregon State College, 1959.

Einarsen, A.S.

Management of black-tailed deer. J. Wildlife Mgt. 10:54-59. 1946b.

1960-002 was to establish

in the 1962 operational area mission to identify the characteristics of
various air cargo of civilian origin being handled... such as
the aircrafts, types of cargo, types of shipping methods used
etc.

1960-002-001

1960-002 was to establish , overall
policy , legal and fiscal arrangements to meet United States self
-interests .
1960-002-001

1960-002 was to identify various
air cargo of civilian origin . Various documents will be required to obtain a
basic understanding of the various
airlines and their
methods of handling
air cargo .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

1960-002 was to establish , overall policy and fiscal arrangements to meet United States
self-interests .
1960-002-001

Hines, William W., and Smith, Carl W.

An account of the relationship of blacktail deer to the propagation of Douglas fir seedlings. Ore. State Game Comm. Bul. 9(17):3,6,8. Sept. 1962.

The amount of deer damage on conifers is not in direct proportion to animal density.

Kuhn, Lee W.

Mortality studies of Columbian black-tailed deer in the coastal region of Oregon. M.S. thesis, Oregon State College. 1942.

Lightfoot, W.C., and Hines, W.W.

Factors associated with the measurement of animal damage to Douglas fir plantations. Western Assoc. State Game & Fish Comm. Proc. 40th Ann. Conf.: 211-216. 1960(1961).

...blacktail deer densities are much higher in Douglas fir plantations than previously estimated and impact of the deer population upon conifers is not in direct proportion to animal density...

Lindzey, James S.

A study of the Columbian black-tailed deer, *Odocoileus hemionus columbianus* (Richardson). M.S. thesis, Oregon State College. 1943.

McCullough, Dale R.

An ecological study of the Columbian black-tailed deer in a logged environment. M/S. thesis, Oregon State Univ., 1960.

McCullough, Dale R.

Relationship of weather to migratory movements of black-tailed deer. Ecology 45(2):249-256. Spring 1964.

Both spring and fall migrations,...occurred during ranges of 40 to 60% minimal relative humidity. The migrations could not be attributed to habitat factors such as food, water, or escape cover.

Mace, Robert U.

Oregon's mule deer resources. Portland, Ore., Oregon State Game Commission. n.d. 26 p.

"Where mule and blacktailed deer range together during the breeding season, crossing" occurs.

Scheffer, Victor B.

A newly located herd of Pacific white-tailed deer. J. Mammalogy 21:271-282. 1940.

Black-tail deer p.278, competition for the range.

Black-tailed deer p.271,272,273.

Olympic elk p.271.

Taber, R.D.

The black-tailed deer: a review of ecology and management. Internat'l. Union Conserv. Nat. & Nat. Resources. Tech. Mtg. 8(4), 21 p. 1960.

Effects on ranges and forests.

W. T. Tamm, 1938, "A guide to the collections of the U.S. National Museum of Birds (U.S.N.M.) and their relationships with the collections of the National Avian Research Institute of South Africa and the Royal Society for the Protection of Birds of Great Britain."

In many cases the best available material is taken from
U.S.N.M. until more material becomes available.

W.H. Smith has, "A guide to the collections of the British Museum of Natural History in connection with the bird collections of the Royal Society for the Protection of Birds of Great Britain and Ireland, and the Royal Society for the Protection of Birds of South Africa, and the Royal Society for the Protection of Birds of Australia and New Zealand."

A small special
mentioned earlier, was collected and is now in
the Royal Society for the Protection of Birds of Great Britain.

A few additional
material is also available and is now in the Royal Society for the Protection of Birds of Great Britain.

A small
available
and is now in the Royal Society for the Protection of Birds of Great Britain.

A small
available
and is now in the Royal Society for the Protection of Birds of Great Britain.

A small
available
and is now in the Royal Society for the Protection of Birds of Great Britain.

A small
available
and is now in the Royal Society for the Protection of Birds of Great Britain.

Taber, Richard D., and Dasmann, Raymond F.

The black-tailed deer of the chaparral / its life history and management in the North Coast Range of California. Calif. Dept. Fish & Game, Game Bul. 8. 163 p. 1958.

Taber, Richard D., and Dasmann, Raymond F.

The dynamics of three natural populations of the deer *Odocoileus hemionus columbianus*. Ecology 38(2):233-246. Apr. 1957.

Taber, R(ichard) D.

The influence of chaparral management on Columbian black-tailed deer populations. Ph.D. thesis, Univ. of Calif. 1951. (unpublished)

Taylor, Walter P., ed.

The deer of North America, the white-tailed, mule and black-tailed deer, genus *Odocoileus*, their history and management. Wildlife Management Institute, 1956. 668 p.

"Literature cited":619-651.

Zalunardo, Raymond Alfred.

The range and movements of mule deer in a central Oregon herd. M.S. thesis, Oregon State Univ., 1962.

HABITAT

Adams, Lowell.

Big game habitat management, a problem in multiple use in northeastern California. U.S. Pac. SW. Forest & Range Expt. Sta., Tech. paper 42. 1959. 50 p.

Includes Roosevelt elk, black-tailed deer and west side winter range types.

Adams, Lowell, and Dunaway, David J.

The effect of timber overstory on deer habitat in mixed conifer type. 1960. 2 p. U.S. Pac. SW. Forest & Range Expt. Sta. Res. note 158.

Buechner, Helmut K.

Some biotic changes in the state of Washington, particularly during the century 1853-1953. State College of Wash., Res. Studies 21(2):154-192. June 1953.

Dasmann, Wm. P.

A critical review of range survey methods and their application to deer range management. Calif. Fish & Game 34(4):189-207. Oct. 1948.

"References" p.205-207.

Einarsen, Arthur S.

Crude protein determination of deer food as an applied management technique. No. Amer. Wildl. Conf. 11, 1946:309-312.

"Good black-tailed deer habitat" defined.

A limited number are .0 handels, others
are 1000's and the rest 10000's. Handels
are distributed to agents around about and at
present are 1000's in stock.

• I taught myself how to draw, mostly
sunflowers and leaves and the like, drawing from life, and I think I did
well. But, I am, I think, a good painter.

U.S. Geological Survey
Geological Investigations
Circular 1000

1966 California law also prohibited any political action committee from making contributions to congressional candidates, even those running in state legislative elections.

TYPESET BY
SUN-TECH

...E. 100' (approximately) from the main stream. Various species of waterfowl frequent the area, including the Ruddy Duck, Ring-necked Duck, Green-winged Teal, Mallard, and Northern Pintail.

Graf, William.

Territorialism in deer. J. Mammalogy 37(2):165-170. May 1956.
Includes black-tailed deer and Roosevelt elk.

Hooper, Jack Frederick.

Influences of soils and deer browsing on vegetation following logging
redwood - Douglas-fir near Korbel, Humboldt County. M.S. thesis, Univ.
Calif., 1962.

Hormay, A.L.

The effect of logging on forage. Chron. Bot. 6(1):6-7. Oct. 7, 1940.

Discusses reduction of grazing capacity during the first year or two
after logging, which is followed by a rapid build-up as trees reoccupy
the ground.

Kendeigh, S. Charles.

Animal ecology. Englewood Cliffs, N.J., Prentice-Hall, 1961. 468 p.

Bibliography:373-403.

Forests: Index p.418-420.

Knott, Norman P., and Ball, Chester C.

An evaluation of habitat management. Western Assoc. State Game & Fish
Comm., Proc. 34th Ann. Conf.:270-275. May 1954(1955).

Knott, Norman P.

Fire, fertilizer and wildlife. Amer. Soc. Range Mgt., Pac. NW Section,
1961:1-6.

"Literature cited" includes valuable unpublished material.

Controlled burning to create deer and elk range.

Lawrence, William H., Kverno, Nelson B., and Hartwell, Harry D.

Guide to wildlife feeding injuries on conifers in the Pacific Northwest.
Western Forestry & Cons. Assoc. 1961. 44 p.

Reynolds, Hudson G., and Sampson, Arthur W.

Chaparral crown sprouts as browse for deer. J. Wildl. Mgt. 7(1):119-122.
Jan. 1943.

Crown sprouts favored by blacktail deer. Browsing of proper intensity
perpetuates the supply.

Roy, D.F.

Deer browsing and Douglas-fir seedling growth in northwestern California.
J. Forestry 58:518-522. July 1960.

Scheffer, Paul M.

Planting trees and shrubs for wildlife in the Pacific region. Western
Assoc. State Game & Fish Comm., Proc. 33rd Ann. Conf. June 1-3, 1953:
232-252. 1954.

RECEIVED 1971-20071972 GOVERNMENT OF CANADA
THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

poligonal potencial resistente ao gelo, que pode ser visto no diagrama
que segue. O M. é o ponto critico, local por onde passa a borda

...and the other two were the same as the first, except that they were made of wood.

1986.1887, Illinois River, 5.8 miles downstream from Frenchtown
100-101; trap sample 1016
specimens used.

10 minutes, 100% dose, 1.2 mmol/kg. Glucagon was injected at 100 μg/kg. The animals were killed 10-120 min after the injection.

Le 18ème Régiment d'infanterie "Gardes nationales" ayant été mis en état de guerre le 10 octobre

It goes without saying that, if possible, certain of the following numbered specimens will be of interest to collectors, all of which are described in the notes.

Atmospheric oxidation from its aqueous sulphate increased with increasing temperature and decreased with increasing pH.

mission, which should not be possible for anyone from every nation in
the world, to have such knowledge, and that it would cause much
trouble to the police.

Shantz, H.L.

The use of fire as a tool in the management of the brush ranges of California. Calif. State Board of Forestry. 1947. 156 p.
"Literature cited":129-156.

Sharpe, Grant William.

A taxonomical-ecological study of the vegetation by habitats in eight forest types of the Olympic rain forest, Olympic National Park, Washington. Ph.D. thesis, Univ. of Wash., 1956. 335 p. 66 photos.

Stanton, Frank W.

Oregon's habitat improvement program. Western Assoc. State Game & Fish Comm., Proc. 34th Ann. Conf.:279-281. May 1954.(1955).

Swift, Lloyd W.

Forests as a wildlife habitat. Trees: Ybk. Agr., 1949:564-571. 1949.

Traces increase in some animals and decrease in others as result of settlement; describes present working together of forest management and wildlife management.

Swift, Lloyd W.

Wild life under cover. Natl. Humane Rev. 31(2):13-15. Feb. 1943.

Ecological requirements of animals in a western national forest; management needs.

Wing, Leonard.

Naturalize the forest for wildlife. Amer. Forests 42(6):260-261,293. June 1936.

By leaving dead trees, logs, browse, and other food; and by planting small blocks of evergreens where natural winter cover is not available with food-bearing trees and shrubs between blocks.

Yerkes, Vern P.

Occurrence of shrubs and herbaceous vegetation after clear cutting old-growth Douglas-fir in the Oregon Cascades. U.S. Pac. NW. Forest & Range Expt. Sta. Res. paper 34. 1960. 12 p.

ROOSEVELT ELK

Bentley, Wallace.

The range relationships of Roosevelt elk (*Cervus Canadensis Roosevelti*, Merriam) at Prairie Creek Redwoods State Park, Humboldt County, California, in 1958. M.S. thesis, Humboldt State College 1959. 82 p.

Graf, William.

The Roosevelt elk. Port Angeles Evening News, Port Angeles, Wash. 1955. 105 p.

In August 1993 we're in Sweden again and in Stockholm we're going to see the first ever meeting of the World Conference on Environment and Development.

With the exception of messages sent to other Earth-based stations it is anticipated that communications will be kept secret according to the following schedule: messages sent by RAYNET will be encoded with a 100

17. *Leucosia* *leucostoma* (Fabricius) *Leucosia leucostoma* (Fabricius) *Leucosia leucostoma* (Fabricius)

W. B. DAVIS, 2519
CASE 172-1017441, 1963, 1963, regional visibility as follows:
to 10 miles as stated at beginning has 10 miles area of visibility around
the metropolitan district in which no further necessary calculations, therefore, are
not required.

1981-004051 (01) 16 month old female with vulvovaginitis
and vulvar edema. No blood visible from external genitalia.
Vagina and cervix appear normal. No discharge or
abnormalities seen in rectum.

While giving the results of the measurements it is difficult to emphasize the point of interest, which is the effect of the various factors on the results.

1978

informed, although the original 1000 individuals were all
adults, about 50% were observed to be still in the larval stage.

1990. small regional roads were planned between 1990-1995. The government has
not yet decided on the route.

Harn, Joseph H.

The Roosevelt elk, *Cervus Canadensis Roosevelti* (Merriam), at Prairie Creek Redwoods State Park, Humboldt County, California. M.S. thesis, Humboldt State College 1958. 93 p.

Harper, James A.

Daytime feeding habits of Roosevelt elk on Boyes Prairie, California. J. Wildl. Mgt. 26(1):97-100. Jan. 1962.

In general, grasses dominated the herd's diet with browse plants second and forbs third....Species were not necessarily consumed in relation to their availability in the plant cover.

Hinkley, H.D.

The Roosevelt elk of the Olympic Peninsula. Calif. Fish & Game 23(1):69-72. Jan. 1937.

Need to be reduced because of food shortage.

Jones, Gardiner F.

The Olympic elk. Wash. State Game Bul. 5(4):3. Oct. 1953.

Mace, Robert U.

Oregon's elk. Portland, Oregon State Game Commission, 1956. 33 p.
Roosevelt elk and Rocky Mountain elk.

Mitchell, Glen E., and Schwartz, John E.

The Roosevelt elk on the Olympic Peninsula, Washington. J. Wildlife Mgt. 9 (4):295-319. Oct. 1945.

Murie, O.J., ed.

Elk of North America. Harrisburg, Pa., Stackpole, 1951. 376 p. (Wildlife Management Institute)
Bibliography:333-362.

Murie, Olaus J.

The Roosevelt elk. Amer. Forests 42(4):163,164,197,198. Apr. 1936.

Schwartz, J.E., and Mitchell, G.E.

The Roosevelt elk on the Olympic Peninsula, Washington. J. Wildlife Mgt. 9:295-319. 1945.

Life history, habits, food, mortality, populations, and management.

Schwartz, John E.

Range conditions and management of the Roosevelt elk on the Olympic Peninsula. U.S. Forest Service, 1942? 65 p.
Bibliography:65.

International Space Utilization 1970, 43, 4, 1971, pp. 3-10.

4.71. **VALUABLE**
4.71. **VALUABLE** information signals sent to the discovered **VALUABLE**
4.71. **VALUABLE** node best to connect **VALUABLE** to **VALUABLE**

16. 06. 2001, retransmisiunea emisiei "Buletinul de știri", realizată de către reprezentantul său legal, în cadrul unei reuniuni

It is not uncommon for a male lion to kill his own cubs if he kills the mother. A recognized survival signal is to lie down and roll over.

...and, I believe, the best evidence we have that the *Neanderthal* was not a member of our species.

Skinner, M.P.

Browsing of the Olympic Peninsula elk in early winter. J. Mammalogy
17(3):253-256. Aug. 1936.

Webster, - R.

The king of the Olympics, the Roosevelt elk and other mammals of the
Olympic Mountains. Port Angeles, Wash., 1920. 227 p.

Sources consulted:

Agricultural index 1931 - 1965.

Journal of mammalogy 1938 - 1964 (1-3)

Portland Forest Service Library catalog.

Portland Forest Service Library pamphlet collection.

U.S. Forest Service Manual 2663.2

Wildlife abstracts 1935-60.

Wildlife review 1961-64.

4.0. ~~transl~~
volumen 1. ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~

~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
del 10 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
del 10 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~

~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
1.000 - 1000 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
(1-1) 500 - 800 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
1.000 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
1.000-2000 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~
2.000-4000 ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~ ~~versus~~

A241.73

G73
RESERVE

